

Socorro, N. M., October 14, 1934

New Mexico School of Mines

NM Mine File No. 462

Assay Certificate

Assay made for

Mr. C. T. Griswold
1500 Las Lomas Road,
Albuquerque, New Mexico.

No.	Description of Sample	Gold Ounces per ton	Value computed by C. T. Griswold at \$35.00 per ounce
1	C-10	0.885	\$30.96
2	C-20	0.17	5.95
3	C-30	0.03	1.05
4	C-40	1.16	40.60
5	C-50	1.25	43.75
6	C-60	0.07	2.45
7	C-70	0.32	11.20
8	C-80	None	0.00
33	9-E	0.40	14.00
34	10-E	1.30	46.55
35	11-E	0.30	11.55
36	12-E	0.70	24.50
37	F-1	0.04	1.40
38	F-2	0.04	1.40
39	F-3	0.04	1.40
40	L-1	1.15	40.25

Note: These assays are the same as those shown on C. T.
Griswold's map of Ponil mine, scale 1"=40', Oct 15, 1934 (RWE)

No.	Description of Sample	Gold Ounces per ton	Value computed by C. T. Griswold at \$35.00 per ounce
17	E-3	0.045	\$ 1.58
18	E-4	0.03	1.05
19	E-6	0.03	1.05
20	E-7	0.045	1.58
21	E-8	0.16	5.60
22	E-9	0.09	3.15
23	E-10	0.67	23.45
24	E-11	0.07	2.45
9	D-10	0.15	5.25
10	D-20	0.095	3.33
11	D-30	0.06	2.10
12	D-40	0.27	9.45
13	D-50	0.085	2.98
14	D-60	0.20	7.00
15	E-1	0.02	0.70
16	E-2	0.045	1.58
81	B	5.28	184.80
82	C	1.90	66.50
83	D	0.33	11.55
84	E	1.62	56.70
85	F	2.05	71.75
86	G	0.21	7.35
87	H	1.48	51.80
88	K	0.24	8.40

No.	Description of Sample	Gold Ounces per ton	Value computed by C. T. Griswold at \$35.00 per ounce
41	L-2	0.045	1.58
42	3 - L	0.15	5.25
43	T - 1	0.035	1.23
44	T - 2	0.59	20.65
45	T - 3	0.115	4.03
46	T - 4	0.21	7.35
47	1 - W	0.045	1.58
48	2 - W	0.045	1.58
25	1 - E	0.02	0.70
26	2 - E	0.015	0.53
27	3 - E	0.015	0.53
28	4 - E	Trace	0.10
29	5 - E	Trace	0.10
30	6 - E	0.09	3.15
31	7 - E	0.51	17.85
32	8 - E	0.235	8.23
49	3 - W	0.03	1.05
50	4 - W	0.045	1.58
51	5 - W	0.045	1.58
52	6 - W	0.04	1.40
53	7 - W	0.165	5.78
54	8 - W	0.12	3.92
55	9 - W	0.065	2.28
56	10 - W	0.09	3.15

No.	Description of Sample	Gold Ounces Per Ton	Value computed by C. T. Griswold at \$35.00 per ounce
57	11 - W	0.62	21.70
58	12 - W	0.705	24.68
59	13 - W	0.05	1.75
60	14 - W	0.05	1.75
61	15 - W	0.05	1.75
62	16 - W	0.01	0.35
63	17 - W	0.85	29.75
64	18 - W	2.72	95.20
65	19 - W	3.05	106.75
66	20 - W	0.515	18.03
67	21 - W	0.39	13.65
68	22 - W	Trace	0.10
69	23 - W	0.05	1.75
70	24 - W	0.05	1.75
71	25 - W	0.045	1.58
72	26 - W	0.04	1.40
73	27 - W	0.045	1.58
74	28 - W	0.01	0.35
75	29 - W	0.19	6.65
76	30 - W	0.04	1.40
77	31 - W	0.015	5.25
78	32 - W	None	0.00
79	33 - W	None	0.00
80	A	2.25	78.75